



Available at

www.ElsevierComputerScience.com

POWERED BY SCIENCE @ DIRECT®

Artificial Intelligence 150 (2003) 331–339

**Artificial
Intelligence**

www.elsevier.com/locate/artint

Master Index—Volumes 141–150

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

- Akin, H.L., see Say, A.C.C. **149** (2003) 251–266
- Al-Kofahi, K., see Jackson, P. **150** (2003) 239–290
- Aler, R., D. Borrajo and P. Isasi
Using genetic programming to learn and improve control knowledge **141** (2002) 29–56
- Aleven, V.
Using background knowledge in case-based legal reasoning:
A computational model and an intelligent learning environment **150** (2003) 183–237
- Anderson, M. and R. McCartney
Diagram processing: Computing with diagrams **145** (2003) 181–226
- Anderson, M.L.
Embodied Cognition: A field guide **149** (2003) 91–130
- Anderson, M.L.
Representations, symbols, and embodiment (Response) **149** (2003) 151–156
- Ashley, K.D. and E.L. Rissland
Law, learning and representation **150** (2003) 17–58
- Ashley, K.D., see Rissland, E.L. **150** (2003) 1–15
- Backer, E., see Veenman, C.J. **145** (2003) 227–243
- Banerjee, A., see Macskassy, S.A. **143** (2003) 51–77
- Barro, S., see Félix, P. **148** (2003) 103–140
- Beck, J.C., see Watson, J.-P. **143** (2003) 189–217
- Ben-Eliyahu-Zohary, R., E. Gudes and G. Ianni
Metaqueries: Semantics, complexity, and efficient algorithms **149** (2003) 61–87
- Bench-Capon, T. and G. Sartor
A model of legal reasoning with cases incorporating theories and values **150** (2003) 97–143
- Bench-Capon, T.J.M., see Dunne, P.E. **141** (2002) 187–203
- Bench-Capon, T.J.M., see Dunne, P.E. **149** (2003) 221–250

- Benferhat, S. and S. Kaci
 Logical representation and fusion of prioritized information based on guaranteed possibility measures: Application to the distance-based merging of classical bases **148** (2003) 291–333
- Bessière, C., P. Meseguer, E.C. Freuder and J. Larrosa
 On forward checking for non-binary constraint satisfaction (Research Note) **141** (2002) 205–224
- Bloch, I., T. Géraud and H. Maître
 Representation and fusion of heterogeneous fuzzy information in the 3D space for model-based structural recognition—Application to 3D brain imaging **148** (2003) 141–175
- Bojinov, H., A. Casal and T. Hogg
 Multiagent control of self-reconfigurable robots **142** (2002) 99–120
- Borgelt, C. and R. Kruse
 Operations and evaluation measures for learning possibilistic graphical models **148** (2003) 385–418
- Borrajo, D., see Aler, R. **141** (2002) 29–56
- Bos, A., see Tonino, H. **142** (2002) 121–145
- Boutilier, C., T. Dean and S. Koenig
 Editorial **147** (2003) 1–4
- Branting, L.K.
 A reduction-graph model of precedent in legal analysis **150** (2003) 59–95
- Broxvall, M. and P. Jonsson
 Point algebras for temporal reasoning: Algorithms and complexity **149** (2003) 179–220
- Bulitko, V. and D.C. Wilkins
 Qualitative simulation of temporal concurrent processes using Time Interval Petri Nets **144** (2003) 95–124
- Campbell, M., see Schetter, T. **145** (2003) 147–180
- Casal, A., see Bojinov, H. **142** (2002) 99–120
- Castellini, C., E. Giunchiglia and A. Tacchella
 SAT-based planning in complex domains: Concurrency, constraints and nondeterminism **147** (2003) 85–117
- Chan, T.Y.T.
 Unifying metric approach to the triple parity **141** (2002) 123–135
- Chen, L. and N. Tokuda
 Robustness of regional matching scheme over global matching scheme (Research Note) **144** (2003) 213–232
- Chrisley, R.
 Embodied artificial intelligence **149** (2003) 131–150
- Cimatti, A., M. Pistore, M. Roveri and P. Traverso
 Weak, strong, and strong cyclic planning via symbolic model checking **147** (2003) 35–84
- Condon, A., see Madani, O. **147** (2003) 5–34

- Console, L., C. Picardi and M. Ribaudo
 Process algebras for systems diagnosis **142** (2002) 19– 51
- Cross, C.B.
 Nonmonotonic inconsistency **149** (2003) 161–178
- Das, S., see Grosz, B.J. **142** (2002) 147–177
- da Silva Neves, R., see Raufaste, E. **148** (2003) 197–218
- Dayanik, A.A., see Macskassy, S.A. **143** (2003) 51– 77
- Dean, T., see Boutilier, C. **147** (2003) 1– 4
- Dean, T., see Givan, R. **147** (2003) 163–223
- Dean, T., see Kim, K.-E. **147** (2003) 225–251
- Delgado, J.
 Emergence of social conventions in complex networks (Research Note) **141** (2002) 171–185
- Denecker, M., V.W. Marek and M. Truszczyński
 Uniform semantic treatment of default and autoepistemic logics **143** (2003) 79–122
- de Weerd, M., see Tonino, H. **142** (2002) 121–145
- Dimopoulos, Y., B. Nebel and F. Toni
 On the computational complexity of assumption-based argumentation for default reasoning **141** (2002) 57– 78
- Dubois, D., H. Fargier and P. Perny
 Qualitative decision theory with preference relations and comparative uncertainty: An axiomatic approach **148** (2003) 219–260
- Dubois, D. and H. Prade
 Fuzzy set and possibility theory-based methods in artificial intelligence (Editorial) **148** (2003) 1– 9
- Dunne, P.E. and T.J.M. Bench-Capon
 Coherence in finite argument systems (Research Note) **141** (2002) 187–203
- Dunne, P.E. and T.J.M. Bench-Capon
 Two party immediate response disputes: Properties and efficiency **149** (2003) 221–250
- Durfee, E., S. Kraus, H. Nakashima and M. Tambe
 Editorial **142** (2002) 95– 97
- Eiter, T., W. Faber, N. Leone, G. Pfeifer and A. Polleres
 A logic programming approach to knowledge-state planning, II: The DLV^K system **144** (2003) 157–211
- Eiter, T. and T. Lukasiewicz
 Complexity results for structure-based causality **142** (2002) 53– 89
- Faber, W., see Eiter, T. **144** (2003) 157–211
- Falappa, M.A., G. Kern-Isberner and G.R. Simari
 Explanations, belief revision and defeasible reasoning **141** (2002) 1– 28

- Faratin, P., C. Sierra and N.R. Jennings
 Using similarity criteria to make issue trade-offs in automated negotiations **142** (2002) 205–237
- Fargier, H., see Dubois, D. **148** (2003) 219–260
- Félix, P., S. Barro and R. Marín
 Fuzzy constraint networks for signal pattern recognition **148** (2003) 103–140
- Fisher, R., see Sun, Y. **146** (2003) 77–123
- Freuder, E.C., see Bessière, C. **141** (2002) 205–224
- Furbach, U.
 AI—A multiple book review (Book Review) **145** (2003) 245–252
- Géraud, T., see Bloch, I. **148** (2003) 141–175
- Gillispie, S.B. and M.D. Perlman
 The size distribution for Markov equivalence classes of acyclic digraph models **141** (2002) 137–155
- Giunchiglia, E., M. Narizzano and A. Tacchella
 Backjumping for Quantified Boolean Logic satisfiability **145** (2003) 99–120
- Giunchiglia, E., see Castellini, C. **147** (2003) 85–117
- Givan, R., T. Dean and M. Greig
 Equivalence notions and model minimization in Markov decision processes **147** (2003) 163–223
- Gobet, F., see Lane, P.C.R. **144** (2003) 251–263
- Grabisch, M.
 Temporal scenario modelling and recognition based on possibilistic logic **148** (2003) 261–289
- Greig, M., see Givan, R. **147** (2003) 163–223
- Grosz, B.J., S. Kraus, D.G. Sullivan and S. Das
 The influence of social norms and social consciousness on intention reconciliation **142** (2002) 147–177
- Gudes, E., see Ben-Eliyahu-Zohary, R. **149** (2003) 61–87
- Ha, V. and P. Haddawy
 Similarity of personal preferences: Theoretical foundations and empirical analysis **146** (2003) 149–173
- Haddawy, P., see Ha, V. **146** (2003) 149–173
- Hanks, S., see Madani, O. **147** (2003) 5–34
- He, J. and X. Yao
 Towards an analytic framework for analysing the computation time of evolutionary algorithms **145** (2003) 59–97
- Helmert, M.
 Complexity results for standard benchmark domains in planning **143** (2003) 219–262
- Hirayama, K., see Walsh, W.E. **144** (2003) 125–156
- Hirsh, H., see Macskassy, S.A. **143** (2003) 51–77
- Hogg, T., see Bojinov, H. **142** (2002) 99–120


- Howe, A.E., see Watson, J.-P. **143** (2003) 189–217
- Hüllermeier, E.
 Possibilistic instance-based learning **148** (2003) 335–383
- Ianni, G., see Ben-Eliyahu-Zohary, R. **149** (2003) 61–87
- Isasi, P., see Aler, R. **141** (2002) 29–56
- Ishida, T., see Shimbo, M. **146** (2003) 1–41
- Jackson, P., K. Al-Kofahi, A. Tyrrell and A. Vachher
 Information extraction from case law and retrieval of prior cases **150** (2003) 239–290
- Janhunen, T.
 Evaluating the effect of semi-normality on the expressiveness of defaults (Research Note) **144** (2003) 233–250
- Jégou, P. and C. Terrioux
 Hybrid backtracking bounded by tree-decomposition of constraint networks **146** (2003) 43–75
- Jennings, N.R., see Faratin, P. **142** (2002) 205–237
- Jennings, N.R., see Luo, X. **148** (2003) 53–102
- Jönsson, H. and B. Söderberg
 An information-based neural approach to generic constraint satisfaction **142** (2002) 1–17
- Jonsson, P., see Broxvall, M. **149** (2003) 179–220
- Jøsang, A.
 The consensus operator for combining beliefs (Research Note) **141** (2002) 157–170
- Kaci, S., see Benferhat, S. **148** (2003) 291–333
- Kern-Isberner, G., see Falappa, M.A. **141** (2002) 1–28
- Kim, K.-E. and T. Dean
 Solving factored MDPs using non-homogeneous partitions **147** (2003) 225–251
- Koenig, S., C. Tovey and Y. Smirnov
 Performance bounds for planning in unknown terrain **147** (2003) 253–279
- Koenig, S., see Boutilier, C. **147** (2003) 1–4
- Kraus, S., see Durfee, E. **142** (2002) 95–97
- Kraus, S., see Grosz, B.J. **142** (2002) 147–177
- Kruse, R., see Borgelt, C. **148** (2003) 385–418
- Laborie, P.
 Algorithms for propagating resource constraints in AI planning and scheduling: Existing approaches and new results **143** (2003) 151–188
- Lane, P.C.R. and F. Gobet
 Developing reproducible and comprehensible computational models (Research Note) **144** (2003) 251–263
- Lang, J., P. Liberatore and P. Marquis
 Conditional independence in propositional logic **141** (2002) 79–121

- Larrosa, J., see Bessière, C. 141 (2002) 205–224
- Lee, J.H.-m., see Luo, X. 148 (2003) 53–102
- Leone, N., see Eiter, T. 144 (2003) 157–211
- Leung, H.-f., see Luo, X. 148 (2003) 53–102
- Levesque, H.J., see Scherl, R.B. 144 (2003) 1–39
- Li, S. and M. Ying
Region Connection Calculus: Its models and composition table 145 (2003) 121–146
- Liau, C.-J.
Belief, information acquisition, and trust in multi-agent systems—A modal logic formulation 149 (2003) 31–60
- Liberatore, P., see Lang, J. 141 (2002) 79–121
- Littman, M.L., see Majercik, S.M. 147 (2003) 119–162
- Loui, R.P., see Rissland, E.L. 150 (2003) 1–15
- Lukasiewicz, T., see Eiter, T. 142 (2002) 53–89
- Luo, X., N.R. Jennings, N. Shadbolt, H.-f. Leung and J.H.-m. Lee
A fuzzy constraint based model for bilateral, multi-issue negotiations in semi-competitive environments 148 (2003) 53–102
- Macskassy, S.A., H. Hirsh, A. Banerjee and A.A. Dayanik
Converting numerical classification into text classification 143 (2003) 51–77
- Madani, O., S. Hanks and A. Condon
On the undecidability of probabilistic planning and related stochastic optimization problems 147 (2003) 5–34
- Maître, H., see Bloch, I. 148 (2003) 141–175
- Majercik, S.M. and M.L. Littman
Contingent planning under uncertainty via stochastic satisfiability 147 (2003) 119–162
- Mali, A.D.
On the evaluation of agent behaviors 143 (2003) 1–17
- Marek, V.W., see Denecker, M. 143 (2003) 79–122
- Marín, R., see Félix, P. 148 (2003) 103–140
- Mariné, C., see Raufaste, E. 148 (2003) 197–218
- Marquis, P., see Lang, J. 141 (2002) 79–121
- Matsubara, S. and M. Yokoo
Defection-free exchange mechanisms based on an entry fee imposition 142 (2002) 265–286
- McCartney, R., see Anderson, M. 145 (2003) 181–226
- McLaren, B.M.
Extensionally defining principles and cases in ethics: An AI model 150 (2003) 145–181
- Meseguer, P., see Bessière, C. 141 (2002) 205–224
- Miguel, I. and Q. Shen
Fuzzy *rr*DFCSP and planning 148 (2003) 11–52

- Nakashima, H., see Durfee, E. 142 (2002) 95– 97
- Narizzano, M., see Giunchiglia, E. 145 (2003) 99–120
- Nayak, A.C., M. Pagnucco and P. Peppas
 Dynamic belief revision operators 146 (2003) 193–228
- Nebel, B., see Dimopoulos, Y. 141 (2002) 57– 78
- Osman, L.M., see Reiter, E. 144 (2003) 41– 58
- Pagnucco, M., see Nayak, A.C. 146 (2003) 193–228
- Peppas, P., see Nayak, A.C. 146 (2003) 193–228
- Perlman, M.D., see Gillispie, S.B. 141 (2002) 137–155
- Perny, P., see Dubois, D. 148 (2003) 219–260
- Pfeifer, G., see Eiter, T. 144 (2003) 157–211
- Picardi, C., see Console, L. 142 (2002) 19– 51
- Pino-Pérez, R. and C. Uzcátegui
 Preferences and explanations 149 (2003) 1– 30
- Pistore, M., see Cimatti, A. 147 (2003) 35– 84
- Plaisted, D.A. and A. Yahya
 A relevance restriction strategy for automated deduction 144 (2003) 59– 93
- Polleres, A., see Eiter, T. 144 (2003) 157–211
- Prade, H., see Dubois, D. 148 (2003) 1– 9
- Raufaste, E., R. da Silva Neves and C. Mariné
 Testing the descriptive validity of possibility theory in human
 judgments of uncertainty 148 (2003) 197–218
- Refanidis, I. and I. Vlahavas
 Multiobjective heuristic state-space planning 145 (2003) 1– 32
- Reinders, M.J.T., see Veenman, C.J. 145 (2003) 227–243
- Reiter, E., R. Robertson and L.M. Osman
 Lessons from a failure: Generating tailored smoking cessation
 letters 144 (2003) 41– 58
- Ribaudo, M., see Console, L. 142 (2002) 19– 51
- Rissland, E.L., K.D. Ashley and R.P. Loui
 AI and Law: A fruitful synergy 150 (2003) 1– 15
- Rissland, E.L., see Ashley, K.D. 150 (2003) 17– 58
- Robertson, R., see Reiter, E. 144 (2003) 41– 58
- Roveri, M., see Cimatti, A. 147 (2003) 35– 84
- Sandholm, T. and S. Suri
 BOB: Improved winner determination in combinatorial auc-
 tions and generalizations 145 (2003) 33– 58
- Sandholm, T. and Y. Zhou
 Surplus equivalence of leveled commitment contracts 142 (2002) 239–264
- Sartor, G., see Bench-Capon, T. 150 (2003) 97–143
- Say, A.C.C. and H.L. Akın
 Sound and complete qualitative simulation is impossible 149 (2003) 251–266

- Scherl, R.B. and H.J. Levesque
 Knowledge, action, and the frame problem **144** (2003) 1–39
- Schetter, T., M. Campbell and D. Surka
 Multiple agent-based autonomy for satellite constellations **145** (2003) 147–180
- Schwartz, D.G.
 Agent-oriented epistemic reasoning: Subjective conditions of knowledge and belief **148** (2003) 177–195
- Sen, S.
 Believing others: Pros and cons **142** (2002) 179–203
- Shadbolt, N., see Luo, X. **148** (2003) 53–102
- Shen, Q., see Miguel, I. **148** (2003) 11–52
- Shimbo, M. and T. Ishida
 Controlling the learning process of real-time heuristic search **146** (2003) 1–41
- Sierra, C., see Faratin, P. **142** (2002) 205–237
- Simari, G.R., see Falappa, M.A. **141** (2002) 1–28
- Smirnov, Y., see Koenig, S. **147** (2003) 253–279
- Söderberg, B., see Jönsson, H. **142** (2002) 1–17
- Srebro, N.
 Maximum likelihood bounded tree-width Markov networks **143** (2003) 123–138
- Stewart, I.A.
 The complexity of achievement and maintenance problems in agent-based systems **146** (2003) 175–191
- Sullivan, D.G., see Grosz, B.J. **142** (2002) 147–177
- Sun, Y. and R. Fisher
 Object-based visual attention for computer vision **146** (2003) 77–123
- Suri, S., see Sandholm, T. **145** (2003) 33–58
- Surka, D., see Schetter, T. **145** (2003) 147–180
- Tacchella, A., see Castellini, C. **147** (2003) 85–117
- Tacchella, A., see Giunchiglia, E. **145** (2003) 99–120
- Tambe, M., see Durfee, E. **142** (2002) 95–97
- Teh, Y.W., see Welling, M. **143** (2003) 19–50
- Terrioux, C., see Jégou, P. **146** (2003) 43–75
- Tokuda, N., see Chen, L. **144** (2003) 213–232
- Toni, F., see Dimopoulos, Y. **141** (2002) 57–78
- Tonino, H., A. Bos, M. de Weerd and C. Witteveen
 Plan coordination by revision in collective agent based systems **142** (2002) 121–145
- Tovey, C., see Koenig, S. **147** (2003) 253–279
- Traverso, P., see Cimatti, A. **147** (2003) 35–84
- Truszczyński, M., see Denecker, M. **143** (2003) 79–122
- Tyrrell, A., see Jackson, P. **150** (2003) 239–290
- Uzcátegui, C., see Pino-Pérez, R. **149** (2003) 1–30

- Vachher, A., see Jackson, P. **150** (2003) 239–290
- Veenman, C.J., M.J.T. Reinders and E. Backer
Establishing motion correspondence using extended temporal
scope (Research Note) **145** (2003) 227–243
- Verheij, B.
Artificial argument assistants for defeasible argumentation **150** (2003) 291–324
- Vlahavas, I., see Refanidis, I. **145** (2003) 1–32
- Walsh, W.E., M. Yokoo, K. Hirayama and M.P. Wellman
On market-inspired approaches to propositional satisfiability **144** (2003) 125–156
- Watson, J.-P., J.C. Beck, A.E. Howe and L.D. Whitley
Problem difficulty for tabu search in job-shop scheduling **143** (2003) 189–217
- Welling, M. and Y.W. Teh
Approximate inference in Boltzmann machines **143** (2003) 19–50
- Wellman, M.P., see Walsh, W.E. **144** (2003) 125–156
- Whitley, L.D., see Watson, J.-P. **143** (2003) 189–217
- Widmer, G.
Discovering simple rules in complex data: A meta-learning
algorithm and some surprising musical discoveries **146** (2003) 129–148
- Wilkins, D.C., see Bulitko, V. **144** (2003) 95–124
- Witteveen, C., see Tonino, H. **142** (2002) 121–145
- Yahya, A., see Plaisted, D.A. **144** (2003) 59–93
- Yao, X., see He, J. **145** (2003) 59–97
- Ying, M., see Li, S. **145** (2003) 121–146
- Yokoo, M., see Matsubara, S. **142** (2002) 265–286
- Yokoo, M., see Walsh, W.E. **144** (2003) 125–156
- Zhou, Y., see Sandholm, T. **142** (2002) 239–264
- Zhou, Z.-H.
Three perspectives of data mining (Book Review) **143** (2003) 139–146





Available at

www.ElsevierComputerScience.com

POWERED BY SCIENCE @ DIRECT®

Artificial Intelligence 150 (2003) 341–345

**Artificial
Intelligence**

www.elsevier.com/locate/artint

Subject Index—Volumes 141–150

- | | | | |
|-----------------------------------|-----------------------------------|---------------------------------------|---|
| A* search | (150) 145 | Autonomy | (143) 1 |
| Abduction | (141) 57, (149) 1 | Bargaining | (142) 239 |
| Achievement agent design problems | (146) 175 | Bargaining under uncertainty | (142) 239 |
| Action | (144) 1 | Bayesian network | (141) 137 |
| Actual cause | (142) 53 | Behaviors | (143) 1 |
| Acyclic digraph | (141) 137 | Behavioural tests | (144) 251 |
| Adaptation | (142) 179 | Belief | (141) 157, (148) 177, (149) 31 |
| Adaptive learning | (146) 1 | Belief revision | (141) 1 |
| Advanced mean field methods | (143) 19 | Bidding with synergies | (145) 33 |
| Agency | (143) 1 | Binary decision diagrams | (147) 35 |
| Agent-based systems | (146) 175 | Bisimulation | (147) 163 |
| Agent-centered search | (147) 253 | Boltzmann machines | (143) 19 |
| Agent-oriented reasoning | (148) 177 | Boolean connection algebra | (145) 121 |
| Agents | (142) 179, (148) 177 | Bounded rationality | (144) 95 |
| AI and Law | (150) 183 | Brain imaging | (148) 141 |
| AI and Medicine | (144) 41 | Breach | (142) 239 |
| AI methodology | (144) 41 | Breach of contract | (142) 239 |
| AI planning | (143) 151, (148) 11 | | |
| Analogical reasoning | (145) 181 | Case history | (150) 239 |
| Analogy | (150) 59, (150) 145 | Case law | (150) 239 |
| Analysis of algorithms | (147) 253 | Case-based reasoning | (146) 149, (150) 17,
(150) 59, (150) 97, (150) 183 |
| Answer sets | (144) 157 | Causal model | (142) 53 |
| Approximate reasoning | (148) 177 | Causality between variables | (142) 53 |
| Approximations | (143) 79 | Change theory | (141) 1 |
| Argument | (150) 17 | Characterization of diagnosis | (142) 19 |
| Argument systems | (141) 187, (149) 221 | Clinical trials | (144) 41 |
| Argumentation | (141) 57 | Coherence | (141) 187 |
| Argumentation software | (150) 291 | Collaborative systems | (142) 147 |
| Artificial intelligence and law | (150) 291 | Combinatorial auction | (145) 33 |
| Artificial neural networks | (141) 123, (142) 1 | Complexity | (142) 53 |
| Assumption-based planning | (147) 253 | Complexity of planning | (143) 219 |
| Assumption-based reasoning | (141) 57 | Component-centered qualitative models | (142) 19 |
| Auctions | (144) 125, (145) 33 | Computability | (147) 5 |
| Autoepistemic logic | (143) 79 | Computational complexity | (141) 57, (141) 187,
(146) 175, (147) 5 |
| Automated contracting | (142) 239 | | |
| Automated negotiation | (142) 205, (142) 239,
(148) 53 | | |
| Automated reasoning | (145) 99 | | |

0004-3702/2003 Published by Elsevier B.V.

doi:10.1016/S0004-3702(03)00183-8

- | | | | |
|---|-----------|-------------------------------------|----------------------|
| Computational models | (144) 251 | E-business | (148) 53 |
| Computer vision | (145) 227 | Electronic commerce | (142) 265 |
| Concurrency | (147) 85 | Emergent behavior | (141) 171 |
| Conditional independence | (141) 79 | Empirical evaluation | (146) 43 |
| Conditional planning | (147) 35 | Engineering ethics | (150) 145 |
| Conflict | (141) 157 | Ensemble methods | (146) 129 |
| Conflicting evidence | (149) 161 | Entrenchment kinematics | (146) 193 |
| Conformant planning | (144) 157 | Entropy decomposition | (143) 123 |
| Connectionist | (142) 1 | Envisionment-based control policies | (144) 95 |
| Consensus operator | (141) 157 | Epistemic logic | (148) 177 |
| Constraint networks | (146) 43 | Essential graph | (141) 137 |
| Constraint programming | (143) 151 | Ethical principles | (150) 145 |
| Constraint satisfaction (141) 205, (142) 1, (148) 11, (149) 179 | | Evaluation | (143) 1, (144) 41 |
| Constraint satisfaction problems | (148) 103 | Evaluation measures | (148) 385 |
| Contingent planning | (147) 119 | Event causality | (142) 53 |
| Contracting | (142) 239 | Evolutionary algorithms | (145) 59 |
| Conventions | (141) 171 | Explanations | (141) 1 |
| Convergence process | (146) 1 | Explanatory reasoning | (149) 1 |
| Cooperation | (142) 179 | Expressive music performance | (146) 129 |
| Coordination | (141) 171 | Expressive power | (144) 233 |
| Counting hierarchy | (142) 53 | Extensional definitions | (150) 145 |
| Credulous reasoning | (141) 187 | Extensionality | (145) 121 |
| Cumulative resources | (143) 151 | | |
| Cumulativity | (149) 161 | Factored Markov decision processes | (147) 225 |
| | | Factored state spaces | (147) 163 |
| Dag | (141) 137 | Feature point tracking | (145) 227 |
| Damage control | (144) 95 | First hitting time | (145) 59 |
| Data mining (143) 139, (146) 129, (149) 61 | | Fixpoint semantics | (143) 79 |
| Databases | (143) 139 | Flexible CSP | (148) 11 |
| Decision making (144) 213, (148) 197 | | Flexible planning | (148) 11 |
| Decision theory | (146) 149 | Forward checking | (141) 205 |
| Decision under uncertainty | (148) 219 | Frame problem | (144) 1 |
| Decision-theoretic planning | (147) 119 | Fusion | (148) 291 |
| Deductive planning system | (144) 157 | Fuzzy classification | (148) 141 |
| Default logic (143) 79, (144) 233, (149) 161 | | Fuzzy constraint satisfaction | (148) 53 |
| Default reasoning | (141) 57 | Fuzzy fusion | (148) 141 |
| Defeasible argumentation | (150) 291 | Fuzzy logic | (148) 177 |
| Defeasible reasoning | (141) 1 | Fuzzy mathematical morphology | (148) 141 |
| Dempster's rule | (141) 157 | Fuzzy pattern recognition | (148) 141 |
| Diagnosis | (148) 197 | Fuzzy set theory | (148) 335 |
| Diagrammatic reasoning | (145) 181 | Fuzzy sets | (148) 103 |
| Dialogue game | (149) 221 | Fuzzy similarity | (142) 205 |
| Discounted | (147) 5 | Fuzzy spatial relationships | (148) 141 |
| Disjunctive logic programming | (144) 157 | | |
| Distributed constraint satisfaction | (144) 125 | Game theory | (142) 239, (142) 265 |
| Distributed control | (142) 99 | Genetic programming | (141) 29 |
| Distributed resource allocation | (142) 121 | Gentzen system | (149) 221 |
| Dual-leveled semantics | (148) 177 | Global matching | (144) 213 |
| Dynamic A* (D*) | (147) 253 | Graph algorithms | (147) 253 |
| Dynamic CSP | (148) 11 | Graph coloring | (142) 1 |
| | | Graph counting | (141) 137 |
| | | Graphical Markov model | (141) 137 |
| | | Graphical models | (148) 385 |

- | | | | |
|--|---|--------------------------------------|---|
| Greedy mapping | (147) 253 | Lexicographic revision | (146) 193 |
| Grouping salience | (146) 77 | Local search | (143) 189 |
| Guaranteed possibility measure | (148) 291 | Loopy belief propagation | (143) 19 |
| Hardness | (143) 123 | Machine learning | (143) 51, (143) 139, (146) 129, (148) 335 |
| Heterogeneous knowledge representation | (148) 141 | Maintenance agent design problems | (146) 175 |
| Heuristic search | (145) 1, (147) 253 | Market-oriented programming | (144) 125 |
| Heuristics | (142) 1, (147) 253 | Markov chain | (145) 59 |
| Hierarchical selectivity | (146) 77 | Markov decision processes | (147) 5, (147) 163 |
| Hilbert's tenth problem | (149) 251 | Markov equivalence class | (141) 137 |
| Hybrid algorithms | (146) 43 | Markov networks | (143) 123 |
| Hyper-trees | (143) 123 | Markov random fields | (143) 123 |
| Incomplete information | (144) 157 | Mean-field annealing | (142) 1 |
| Incomplete knowledge | (147) 119 | Mechanism design | (142) 239 |
| Inconsistency | (149) 161 | Meta-learning | (146) 129 |
| Inductive inference | (149) 161 | Metaqueries | (149) 61 |
| Inference | (143) 19 | Methodology | (144) 251 |
| Infinity-horizon | (147) 5 | Mobile robotics | (147) 253 |
| Information | (142) 1 | Modal logic | (149) 31 |
| Information acquisition | (149) 31 | Model-based reasoning | (142) 19 |
| Information extraction | (150) 239 | Model-based structural recognition | (148) 141 |
| Information goods | (142) 265 | Modeling argumentation | (150) 183 |
| Information retrieval | (143) 51 | Modular robots | (142) 99 |
| Instance-based learning | (148) 335 | Modular translations | (144) 233 |
| Integrated competition | (146) 77 | Motion correspondence | (145) 227 |
| Intelligent agents | (149) 31 | Multi-agent planning | (142) 121 |
| Intelligent learning environments | (150) 183 | Multi-agent systems | (141) 171, (142) 99, (142) 205, (142) 239, (142) 265, (145) 33, (145) 147, (149) 31 |
| Intelligent systems | (144) 95 | Multi-dimensional assignment problem | (145) 227 |
| Intelligent tutoring systems | (150) 183 | Multi-frame optimization | (145) 227 |
| Intention reconciliation | (142) 147 | Multi-item auction | (145) 33 |
| Interpretive case-based reasoning | (150) 145 | Multi-object auction | (145) 33 |
| Iterated belief change | (146) 193 | Multi-strategy learning | (141) 29 |
| Job-shop scheduling | (143) 189 | Multi-target tracking | (145) 227 |
| Judgment | (148) 197 | Multiobjective search | (145) 1 |
| Knowledge | (144) 1, (148) 177 | Multiple criteria | (145) 1 |
| Knowledge acquisition | (144) 41 | Multiple inheritance with exceptions | (149) 161 |
| Knowledge discovery | (149) 61 | Multiple satellite autonomy | (145) 147 |
| Knowledge representation | (141) 1, (145) 181, (147) 163, (148) 177, (148) 261 | Natural language generation | (144) 41 |
| Knowledge-states | (144) 157 | Natural language processing | (144) 41 |
| Lattice operators | (143) 79 | Nearest neighbor classification | (148) 335 |
| Lazy learning | (150) 17 | Negative results | (144) 41 |
| Learning from data | (148) 385 | Noise | (144) 213 |
| Legal information retrieval | (150) 17 | Non-binary constraints | (141) 205 |
| Legal knowledge representation | (150) 17 | Non-homogeneous partitioning method | (147) 225 |
| Legal publishing | (150) 239 | Nonmonotonic reasoning | (141) 57, (149) 161 |
| Legal reasoning | (150) 17, (150) 59, (150) 97, (150) 291 | Normal defaults | (144) 233 |
| | | Novelty | (141) 79 |

- | | | | |
|--|----------------------------------|------------------------------------|---------------------------------|
| Object-based visual attention | (146) 77 | Reduction graph | (150) 59 |
| On-line graph search | (147) 253 | Reflective adjustment | (150) 17 |
| Online fraud | (142) 265 | Region Connection Calculus | (145) 121 |
| Operationalization | (150) 145 | Regional matching | (144) 213 |
| Ordering relations | (148) 219 | Relationships | (142) 179 |
| | | Relevance | (141) 79, (144) 59 |
| Parent bound | (141) 137 | Relevance metrics | (144) 59 |
| Parity problems | (141) 123 | Resource-boundedness | (146) 1 |
| Partial models | (146) 129 | Robot navigation | (147) 253 |
| Partial observability | (147) 5 | Robotics | (143) 1 |
| Partial parsing | (150) 239 | Rule discovery | (146) 129 |
| Partially observable Markov decision processes | | | |
| (147) 119 | | SAT-based planning | (147) 85 |
| Pattern recognition | (144) 213 | Satisfiability | (147) 85, (144) 125 |
| Petri nets | (144) 95 | Satisfiability testing | (145) 99 |
| Plan representation | (142) 121 | Sceptical reasoning | (141) 187 |
| Planning | (141) 29, (145) 1 | Scheduling | (143) 151 |
| Planning benchmarks | (143) 219 | Secure planning | (144) 157 |
| Planning domains | (143) 219 | Semi-normal defaults | (144) 233 |
| Planning in nondeterministic domains | (147) 35, | Separability | (141) 79 |
| (147) 253 | | Signal pattern recognition | (148) 103 |
| Planning under uncertainty | (147) 85, (147) 225 | Similarity assessment | (150) 183 |
| Planning with incomplete information | (147) 253 | Similarity measures on preferences | (146) 149 |
| Planning-as-satisfiability | (147) 119 | Simulations | (144) 251 |
| Point algebras | (149) 179 | Situation calculus | (144) 1 |
| Poole systems | (149) 161 | Smoking cessation | (144) 41 |
| Possibilistic networks | (148) 385 | Social choice | (148) 219 |
| Possibilistic reasoning | (148) 261 | Software agents | (145) 147, (148) 53 |
| Possibility theory | (148) 197, (148) 219, (148) 291, | Sorted inference | (144) 59 |
| (148) 335 | | Spacecraft autonomy | (145) 147 |
| Preference criteria for selecting explanations | | Speedup learning | (141) 29 |
| (149) 1 | | Spurious behaviors | (149) 251 |
| Preference elicitation | (146) 149 | Stability | (144) 213 |
| Preferential entailment | (149) 161 | State abstraction | (147) 163 |
| Prerequisite-free defaults | (144) 233 | Statistics | (143) 139 |
| Probabilistic causal model | (142) 53 | Stochastic optimization | (147) 5 |
| Probabilistic causality | (142) 53 | Stochastic planning | (147) 163 |
| Probabilistic planning | (147) 5, (147) 119 | Stochastic satisfiability | (147) 119 |
| Probability | (148) 335 | Structural mapping | (150) 145 |
| Probability of success | (147) 119 | Subjective logic | (141) 157 |
| Problem difficulty | (143) 189 | Supervised learning | (141) 123 |
| Process algebras | (142) 19 | Support | (149) 61 |
| Proof complexity | (149) 221 | Symbolic model-checking | (147) 35 |
| | | | |
| Qualitative reasoning | (149) 251 | Tabu search | (143) 189 |
| Qualitative simulation | (144) 95, (149) 251 | Teamwork | (142) 147 |
| Qualitative Spatial Reasoning | (145) 121 | Teamwork and cooperation | (142) 121 |
| Quantified Boolean Logic | (145) 99 | Temporal reasoning | (144) 95, (148) 103, (148) 261, |
| | | (149) 179 | |
| Rational agent | (146) 1 | Text classification | (143) 51 |
| Real-time decision making | (144) 95 | Theorem proving | (144) 59 |
| Real-time heuristic search | (146) 1 | Theory construction | (150) 97 |
| Reciprocity | (142) 179 | Time complexity | (145) 59 |

Time-space	(146) 43	Unobservability	(147) 5
Trade-off algorithm	(142) 205	Unsupervised learning	(141) 123
Transformation systems	(141) 123	User modelling	(144) 41
Transportation problems	(143) 219		
Tree-decomposition	(146) 43	Version spaces	(150) 17
Tree-width	(143) 123	Visual attention	(146) 77
Trust	(142) 179, (149) 31	Voting	(144) 213
Unary revision	(146) 193	Weak cause	(142) 53
Uncertainty	(147) 119, (148) 197	Weak composition table	(145) 121
Undecidability	(147) 5	Winner determination	(145) 33
Undirected graphical models	(143) 123	Worst-case analysis	(147) 253
Unifying metric approach	(141) 123		